





Models shown: Electric oven WVE613S, gas cooktop WHG644SA, slide-out rangehood WRH605IS, dishwasher WSF6608X.
Front cover shows models: Electric oven WVE617S, induction cooktop WHI645BA, slide-out rangehood WRH605IS, side by side fridge WSE7000SF.

Westinghouse has been helping Australian families for over 60 years. We've always put our energy and thinking into great features that will actually be useful, not 'bells and whistles' that you just don't need. That's why our new cooking range is loaded with practical features...

There's a pause button on cooktops so dinner needn't be ruined if there are interruptions, and cool touch doors that ensure a safe exterior on even the hottest oven. The steam assist oven offers a Steam Reheat function to help families get more mileage out of leftovers without compromising on taste, while the PyroClean ovens clean themselves without harsh chemicals, saving time and effort. Experience the incredible temperature control of induction cooking - it's so clever, chocolate can be melted right in the pan with no double boiler required! They are cool to the touch, easy to keep clean and so responsive.

If you want a reliable brand with good solid appliances and features that will actually be used, choose Westinghouse.

Built-in Ovens 4



Cooktops 22



Rangehoods 38



Microwaves 44



Accessories 48



Oven functions 50



60cm cooking range

Cooking for the entire family can be stressful at the best of times. From fussy eaters to meal time distractions, sometimes you just want to get dinner on the table without all the fuss.

That is why Westinghouse has developed an even wider range of perfectly practical cooking solutions designed to ensure meal time runs as smoothly as possible. Our range includes 60cm ovens with a spacious 80 litre gross capacity. When it comes to cooking for the entire family, you'll be happy you chose a Westinghouse.



Model shown: Steam assist electric oven WVE617S.



Introducing the Ultimate Family Roast

Our large capacity oven features steam assisted cooking, which offers the unique combination of hot air with just the right amount of steam. (WVE617S only).



Steam Reheat

Our new Steam Assist oven offers a Steam Reheat option that effectively heats the food in a moist environment to deliver top quality results with a minimum of fuss.

(WVE617S only).



FamilySafe™ doors

We've developed multi-layer glazed oven doors with an even cooler exterior that's easy on little hands. The full-width inner glass door also ensures a better oven seal, optimal temperature control and easier cleaning.



Room for everything with FamilySize™ ovens

Our huge 80-litre gross capacity ovens have room for everything. Low heat emissions and super quiet operation are the ingredients for the perfect oven.



Fingerprint resistant stainless steel

Fingerprints have met their match. Enjoy a family-friendly oven with stainless steel that really is stainless. Keep your oven looking like new with our easy-to-clean, fingerprint resistant stainless steel.



No-fuss PyroClean oven

The Westinghouse PyroClean ovens offer the latest in cleaning technology. Two pyrolytic functions safely heat the oven to a high temperature to turn different levels of grease and grime into ash. Then just quickly wipe the residue away. (Selected models only).



Steam assisted cooking

The results of cooking with steam are a taste sensation. You'll enjoy succulent roasting perfection that's crisp and caramelised on the outside and moistly tender on the inside. No wonder we call it the Ultimate Family Roast.

Steam assist range

Features†



Model	WVE617S
type	single, steam assist
available finishes	stainless steel
main oven	
oven functions	multifunction 13
capacity	
- gross (litres)	80
- usable (litres)	72
oven cleaning	easy clean door, removable door
timer	programmable
lights	1
glass layers in door	3
general features	
australian made	✓
controls	electronic touch control
number of shelves	2
oven/grill dish	✓
anti-spatter grill insert	✓
oven tray	✓
connection	hardwired
maximum current rating (amps)	12.9
telescopic runners	2 sets
dimensions^	
overall HxWxD (mm)	595 x 596 x 572
flush mount cut-out HxWxD (mm)	600 x 600 x 581

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

† Refer to the product information on the back page of this brochure.

Model shown: Steam assist electric oven WVE617S.

Pyrolytic range

Features†



Model	WVEP615S/W	WVEP618S/W
type	single, pyrolytic	single, pyrolytic
available finishes	stainless steel/white	stainless steel/white
main oven		
oven functions	multifunction 10	multifunction 11
capacity		
- gross (litres)	80	80
- usable (litres)	68	72
pyrolytic functions	light, normal	light, normal
oven cleaning	Pyrolytic, easy clean door, removable door	Pyrolytic, easy clean door, removable door
timer	programmable	programmable
lights	1	1
glass layers in door	4	4
general features		
australian made	✓	✓
controls	knob	electronic touch control
number of shelves	2	2
oven/grill dish	✓	✓
anti-spatter grill insert		✓
oven tray		✓
connection	hardwired	hardwired
maximum current rating (amps)	12.9	12.9
telescopic runners*		available
dimensions^		
overall HxWxD (mm)	595 x 596 x 572	595 x 596 x 572
flush mount cut-out HxWxD (mm)	600 x 600 x 581	600 x 600 x 581

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

† Refer to the product information on the back page of this brochure.

* Telescopic runners are available within our accessory range. Please see page 52 for details.

No-fuss PyroClean oven

Easily clean the oven using minimal effort and without harsh chemicals. Safely heat the oven to a high temperature to turn different levels of grease and grime into ash. Then just quickly wipe the residue away.



Models shown: Pyrolytic electric oven WVEP618S, induction cooktop WHI634BA, slide-out rangehood WRH605IS.

Electric ovens

Features†



Model	WVE614SA/WA	WVE615S/W
type	single	single
available finishes	stainless steel/white	stainless steel/white
main oven		
oven functions	5 function	multifunction 5
capacity		
- gross (litres)	80	80
- usable (litres)	72	72
oven cleaning	easy clean/removable door	easy clean/removable door
catalytic liners*	available	available
timer	auto off timer	programmable
lights	1	1
glass layers in door	2	2
general features		
australian made	✓	✓
retailer exclusive*		
controls	knob	knob
number of shelves	2	2
oven/grill dish	✓	✓
anti-spatter grill insert		
oven tray	✓	✓
connection	hardwired	hardwired
maximum current rating (amps)	9.6	12.5
telescopic runners†	available	available
dimensions^		
overall oven HxWxD (mm)	595 x 596 x 568	595 x 596 x 568
flush mount oven cut-out HxWxD (mm)	600 x 600 x 581	600 x 600 x 581

NOTE: A minimum gap of 40mm must be maintained between the top of the underbench oven and the bottom of the cooktop to ensure adequate ventilation and space for the interconnection lead.

* This product is exclusive to specific retailer stores. For all participating stores, visit westinghouse.com.au for more information.

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

† Refer to the product information on the back page of this brochure.


• Catalytic liners and telescopic runners are available within our accessory range. Please see page 52 for details.



WVE615SH/WH*	WVE616S/W*	WVE607S*
single	single	single
stainless steel	stainless steel	stainless steel
multifunction 5	multifunction 8	multifunction 10
80	80	80
72	72	72
easy clean/removable door	easy clean/removable door	easy clean/removable door
available	✓	available
programmable	programmable	programmable
1	1	1
2	3	3
✓	✓	✓
✓	✓	✓
knob	knob	electronic touch
2	2	2
✓	✓	✓
	✓	✓
✓	✓	✓
hardwired	hardwired	hardwired
12.5	12.5	12.9
1 set	available	1 set
595 x 596 x 568	595 x 596 x 568	595 x 596 x 568
600 x 600 x 581	600 x 600 x 581	600 x 600 x 581

Electric ovens

Features†



Model	Combination WVE645S
type	combination oven
available finishes	stainless steel
main oven	
oven functions	3 function
capacity	
- gross (litres)	80
- usable (litres)	72
oven cleaning	easy clean/removable door
catalytic liners*	available
timer	auto off timer
lights	1
glass layers in door	2
general features	
australian made	✓
controls	knob
number of shelves	2
oven/grill dish	✓
anti-spatter grill insert	✓
oven tray	✓
connection	hardwired
maximum current rating (amps)	36.3
telescopic runners†	available
dimensions^	
overall oven HxWxD (mm)	595 x 596 x 568
flush mount oven cut-out HxWxD (mm)	600 x 600 x 581
proud mount oven cut-out HxWxD (mm)	590 x 565 x 560
overall cooktop WxDxH below bench (mm)	610 x 515 x 45
cooktop cut-out WxD (mm)	560 x 490
connected cooktop	
type	ceramic
elements	4
left front	2200
left rear	1200
right front	1200
right rear	1800

NOTE: A minimum gap of 40mm must be maintained between the top of the underbench oven and the bottom of the cooktop to ensure adequate ventilation and space for the interconnection lead.


^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

† Refer to the product information on the back page of this brochure.

* Catalytic liners and telescopic runners are available within our accessory range. Please see page 52 for details.

Side opening door electric ovens

Features†



Model	WVES613S	WVES613W
type	single oven	single oven
available finishes	stainless steel	white
main oven		
oven functions	3 function	3 function
capacity		
- gross (litres)	80	80
- usable (litres)	72	72
catalytic liners*	available	available
timer	auto off timer	auto off timer
lights	1	1
glass layers in door	2	2
side opening door*	✓	✓
general features		
australian made	✓	✓
controls	knob	knob
number of shelves	2	2
oven/grill dish	✓	✓
anti-spatter grill insert		
oven tray	✓	✓
connection	hardwired	hardwired
maximum current rating (amps)	9.6	9.6
telescopic runners†	available	available
dimensions^		
overall HxWxD (mm)	595 x 596 x 568	595 x 596 x 568
flush mount cut-out HxWxD (mm)	600 x 600 x 581	600 x 600 x 581

NOTE: These doors are not reversible.

* Ovens are available as left or right hand doors and are not reversible once built please ensure when ordering of correct requirements.

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

† Refer to the product information on the back page of this brochure.

Double cavity electric ovens

Features†



Model	WVE655S/W	WVE665S/W	WVE626S/W	WVE636S/W
type	single, separate grill	single, separate grill	double, duo	double
available finishes	stainless steel/white	stainless steel/white	stainless steel/white	stainless steel/white
main oven				
oven functions	multifunction 5	multifunction 5	multifunction 8	multifunction 8
capacity				
- gross (litres)	80	80	80	80
- usable (litres)	72	72	72	72
catalytic liners*	available	available	sides and rear	sides and rear
timer	programmable	programmable	programmable	programmable
lights	1	1	3	3
glass layers in door	3	2	3	3
second oven or separate grill				
oven function	electric grill	electric grill	multifunction 5	multifunction 8
capacity				
- gross (litres)		46	46	80
- usable (litres)		38	38	72
catalytic liners			side and rear	side and rear
lights			1	3
glass layers in door	1	2	3	3
general features				
australian made	✓	✓	✓	✓
controls	knob	knob	knob	knob
number of shelves	2	2	3	4
oven/grill dish	✓	✓	✓	✓
grill dish	✓	✓	✓	✓
anti-spatter grill insert	✓	✓	✓	✓
oven tray	✓	✓	✓	✓
connection	hardwired	hardwired	hardwired	hardwired
maximum current rating (amps)	20.4	22.1	22.4	25.8
telescopic runners*	available	available	available	available
dimensions^				
overall HxWxD (mm)	725 x 596 x 572	888 x 596 x 568	888 x 596 x 568	1081 x 596 x 572
flush mount cut-out HxWxD (mm)	731 x 600 x 581	893 x 600 x 581	893 x 600 x 581	1086 x 600 x 581

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au
† Refer to the product information on the back page of this brochure.
* Catalytic liners and telescopic runners are available within our accessory range. Please see page 52 for details.



Model shown: Double cavity electric oven WVE626S.



Model shown: Separate grill gas oven WVG665S.

Gas ovens

Features†



Model	WVG613S/W	WVG615S/W	WVG655S/W	WVG665S/W
type	single	single	single, separate grill	single, separate grill
available finishes	stainless steel/white	stainless steel/white	stainless steel/white	stainless steel/white
main oven				
oven functions	3 function	multifunction 5	3 function	3 function
capacity				
- gross (litres)	80	80	80	80
- usable (litres)	72	72	72	72
oven burner output (NG)	10.5 MJ/h	10.5 MJ/h	10.5 MJ/h	10.5 MJ/h
in oven grill	electric	electric		
catalytic liners*	available	available	available	available
timer	auto off timer	programmable	programmable	programmable
lights	1	1	1	1
glass layers in door	2	2	2	2
second oven or separate grill				
oven function			electric grill	electric grill
capacity				
- gross (litres)				
- usable (litres)				
general features				
australian made	✓	✓	✓	✓
controls	knob	knob	knob	knob
number of shelves	2	2	2	2
oven/grill dish	✓	✓	✓	✓
grill dish	✓	✓	✓	✓
anti-spatter grill insert			✓	✓
oven tray	✓	✓	✓	✓
connection	10A service cord	10A service cord	10A service cord	10A service cord
maximum gas rating (NG)#	10.5 MJ/h	10.5 MJ/h	10.5 MJ/h	10.5 MJ/h
maximum current rating (amps)	9.6	9.6	7.8	9.6
telescopic runners*	available	available	available	available
dimensions^				
overall HxWxD (mm)	595 x 596 x 568	595 x 596 x 568	725 x 596 x 572	888 x 596 x 568
flush mount cut-out HxWxD (mm)	600 x 600 x 581	600 x 600 x 581	731 x 600 x 581	893 x 600 x 581

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

For WVG613S/W, WVG615S/W, WVG655S/W and WVG665S/W models, it must be specified at time of purchase if LP gas is required as these models can not be converted. Gas rating for LP models is 9.0MJ/h.

NOTE: These gas products are only suitable for use on normal 240V AC mains supply. The use of inverters, UPS or generators must be checked to ensure the waveform is a pure sinusoidal output to confirm it is compatible with the electronics within this product. Connection to any power supply that does not meet the above requirements may result in failure of the product to operate and or permanent damage to electronics within the product and may void the product warranty. No flue is required for Westinghouse gas ovens.

† Refer to the product information on the back page of this brochure.

* Catalytic liners and telescopic runners are available within our accessory range. Please see page 52 for details.

90cm built-in ovens

Preparing large family feasts and entertaining friends has just become a whole lot easier thanks to our 90cm built-in oven. With its hugely practical 125L gross capacity and super-quick heat up time, you'll enjoy perfect results no matter what you cook. Beautifully designed with Australians in mind, this large, easy to clean oven, with no-fuss PyroClean™ on selected models is set to become the new family favourite.



Model shown: 90cm pyrolytic electric oven WVEP916SB.



Room for everything with FamilySize™ ovens
With a spacious 125L gross capacity*, you can cook large meals with minimum fuss and maximum results. Our ovens have been tested to evenly bake up to 72 mini cupcakes in one go, so they're perfect for those last-minute school fundraisers!

* Based on International Standard IEC 60350-1



Twin fan system for even cooking
Cook each dish to perfection with the Twin Fan System. Fans rotate in opposite directions, distributing heat evenly throughout the oven, so you enjoy great results every time.



FamilySafe™ doors
For added safety and confidence in the kitchen, our cool touch door is beautifully designed with a large window, so you can keep a close eye on your cooking.



No-fuss PyroClean™ oven
The Westinghouse PyroClean™ ovens offer the latest in cleaning technology. Two pyrolytic functions safely heat the oven to a high temperature to turn different levels of grease and grime into ash. Then just quickly wipe the residue away. (Selected models only).



Fast heat-up time
Every moment counts at meal times, so while your oven heats up fast you can save time and get on with cooking the dishes you and your family love.



Full touch electronic controls
Simple to operate and beautifully designed, the full-touch electronic control panel is easy to clean and also features a fully programmable timer. (Selected models only).

90cm
built-in ovens

Features†



Model	WVE914SB
type	single
available finishes	stainless steel
oven	
type	electric
oven functions	multifunction 7
capacity	
gross (litres)	125
usable (litres)	116
pyrolytic functions	
oven cleaning	easy clean door, removable door
timer	3 button touch control
lights	2
glass layers in door	3
soft close door	
general features	
australian made	✓
controls	knob
twin fan system	✓
grill in oven	✓
number of shelves	2
grill dish	2 (half width)
grill insert	2 (half width)
grill rack	1
connection	hardwired
maximum power rating (amps)	15
dimensions^	
overall HxWxD (mm)	596 x 895 x 572
flush mount cut-out HxWxD (mm)	600 x 900 x 580

* IMPORTANT The above dimensions are a guide only. Depth excludes knobs and handles.
For complete dimensions and installation requirements, refer to the information provided with the product or visit westinghouse.com.au

- Burner outputs shown above are for natural gas connection.



WVE916SB	WVEP916SB
single	single, pyrolytic
stainless steel	stainless steel
electric	electric
multifunction 11	multifunction 12
125	125
116	116
	light, normal
easy clean door, removable door	pyrolytic, easy clean door, removable door
programmable touch control	programmable touch control
2	2
3	4
	✓
✓	yes
electronic touch	electronic touch
✓	✓
✓	✓
2	2
2 (half width)	2 (half width)
2 (half width)	2 (half width)
1	1
hardwired	hardwired
15	25
596 x 895 x 572	596 x 895 x 572
600 x 900 x 580	600 x 900 x 580



Gas cooktops

Our new range of Gas cooktops are built to give you the ultimate combination of peace of mind and flexibility. With FamilySafe™ trivets that enhance pot stability, and a FamilySafe™ Flame Failure Device that will immediately shut off the gas supply if a cooktop flame is unexpectedly extinguished, you can always cook without worry. There's also a high-powered wok burner so you can easily whip up tasty stir-fries and more. You'll get the high heat you need to unleash the wok star you always knew you had in you!



Model shown: Gas cooktop WHG646SA.



FamilySafe™ Trivets

Designed to cover the large flat surface area and enhance pot stability for added safety. Plus, being dishwasher friendly means less time cleaning.



FamilySafe™ Flame failure device

Created with safety in mind, the flame failure safety device will immediately shut off the gas supply if the flame on the cooktop is unexpectedly extinguished.



Efficient two-piece burners

Designed to make cleaning easy, the two-piece burners lift straight off for fast and efficient cleaning. (Excludes wok burner).



High-powered wok burner

You can whip up tasty stir-fries and more with our high-powered 14MJ wok burner.



Bladed knob controls

Our cooktop knobs for maximum practicality. The bladed design makes them easy to grip plus the unique shape means you can tell at a glance if the cooktop's been left on. Talk about handy!



Fingerprint resistant stainless steel

Fingerprints have met their match. Keep your cooktop looking like new with our easy-to-clean, fingerprint resistant stainless steel.

Gas cooktops*
60cm

Features†



Model	WHG640SB/WB
finish	stainless steel/white enamel
connection	10A plug & lead
gas rating (NG)	35.2MJ/h
burners	
left front	12.1MJ/h
left rear	9.0MJ/h
right front	5.1MJ/h
right rear	9.0MJ/h
features	
trivets	enamel
ignition type	electronic
FamilySafe™ flame failure	✓
dimensions^	
WxDxH below bench (mm)	600 x 535 x 38
cut out WxD (mm)	570 x 490

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

Gas cooktops*
70cm & 90cm

Features†




Model	WHG756SA
finish	stainless steel
connection	10A plug & lead
gas rating (NG)	49.6MJ/h
burners	
left front	14.4MJ/h
left rear	
centre front	9.0MJ/h
centre rear	9.0MJ/h
right front	5.1MJ/h
right rear	12.1MJ/h
features	
trivets	cast iron
ignition type	electronic
FamilySafe™ flame failure	✓
dimensions^	
WxDxH below bench (mm)	745 x 530 x 44
cut-out WxD (mm)	730 x 490


* Gas Type: Configured for NG and supplied with an LPG conversion kit.

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au


† Refer to the product information on the back page of this brochure



WHG644SA	WHG645WA	WHG646SA
stainless steel	white enamel	stainless steel
10A plug & lead	10A plug & lead	10A plug & lead
40.6MJ/h	40.6MJ/h	40.6MJ/h
14.4MJ/h	14.4MJ/h	14.4MJ/h
9.0MJ/h	9.0MJ/h	9.0MJ/h
5.1MJ/h	5.1MJ/h	5.1MJ/h
12.1MJ/h	12.1MJ/h	12.1MJ/h
enamel	cast iron	cast iron
electronic	electronic	electronic
✓	✓	✓
595 x 530 x 44	600 x 535 x 38	595 x 530 x 44
560 x 490	570 x 490	560 x 490



WHG952SB	WHG955WA	WHG956SA
stainless steel	white enamel	stainless steel
10A plug & lead	10A plug & lead	10A plug & lead
49.6MJ/h	49.6MJ/h	49.6MJ/h
14.4MJ/h	14.4MJ/h	14.4MJ/h
	5.1MJ/h	
9.0MJ/h	9.0MJ/h	9.0MJ/h
9.0MJ/h		9.0MJ/h
5.1MJ/h	9.0MJ/h	5.1MJ/h
12.1MJ/h	12.1MJ/h	12.1MJ/h
enamel	cast iron	cast iron
electronic	electronic	electronic
✓	✓	✓
895 x 530 x 44	860 x 509 x 55	895 x 530 x 44
880 x 490	830 x 470	880 x 490



Chic appliances as a design choice

Offering a timeless style statement, the latest range of Westinghouse appliances has been designed for those people who value a clean, fresh look in their kitchen.




Model shown: Pyrolytic electric oven WVEP615S, Induction cooktop WHI645BA

Induction cooktops

Enjoy the safety and efficiency of induction cooking with Westinghouse. Almost twice as fast as gas or electric in transforming energy into heat, you'll save not only time but money too. What's more, induction cooking only generates heat in the cookware, so surfaces around the pot are cool to touch, making the cooking environment safer. The surface is also easy to clean, as any spills are simply wiped away – now that's practical.

When you're busy getting food on the table, flexibility is key. That's why Westinghouse offers an array of practical design features to make your life easier.



Model shown: Induction cooktop WHI645BA.



Pause when you need to

Just press the Pause icon on our induction cooktop and all operating zones will drop to a keep warm mode. And when ready to resume, touch the Pause icon again and all zones will return to their previous setting.



FamilyFlex™ Induction for versatile cooking

FamilyFlex™ allows you to use two individual induction zones as well as link together two zones to provide a space for larger or irregularly shaped pots.

(Selected models only).



QuickCook™ Timer

This nifty timer counts down and even turns the zone off to cook the perfect steak or boiled eggs or any other meal exactly to your liking.



Boost up the power

Boost up power to cooking zones by more than 25% for maximum speed and cooking performance.



Touch on glass controls

With flat easy-clean touch on glass controls at your fingertips, you can easily control the heat. So all you need to do is concentrate on preparing the perfect meal.



Complete control

Enjoy the safety, efficiency and unparalleled control of induction cooking. It's so easy to control, you can even melt chocolate right in the pan.

Induction cooktops

Features[†]

Model	WHI324BA
finish	black ceramic glass
connection	hardwired
maximum power rating	3.7KW
elements	
total	2
left front	
left rear	
center front	2500/1400W
center rear	3200/2300W
right front	
right rear	
control	touch
features	
pause	✓
hot surface indicator	✓
child lock	✓
quickcook timer	✓
dimensions [^]	
WxDxH below bench (mm)	300 x 520 x 46
cut-out WxD (mm)	270 x 490



Model	WHI744BA
finish	black ceramic glass
connection	hardwired
maximum power rating	7.4KW
elements	
total	4
left front	3200/2300W
left rear	2500/1400W
center front	
center rear	
right front	2500/1400W
right rear	2800/1800W
control	touch
features	
pause	✓
hot surface indicator	✓
child lock	✓
quickcook timer	✓
dimensions [^]	
WxDxH below bench (mm)	700 x 520 x 46
cut-out WxD (mm)	560 x 490

[^] Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au



WHI634BA	WHI644BA	WHI645BA
black ceramic glass	black ceramic glass	black ceramic glass
hardwired	hardwired	hardwired
7.4KW	7.4KW	7.4KW
3	4	4
2500/1400W	3200/2300W	3200/2300W
2800/1800W	2500/1400W	3200/2300W
5200/3600W	2500/1400W	3200/2300W
	2800/1800W	2500/1400W
touch	touch	touch
✓	✓	✓
✓	✓	✓
✓	✓	✓
✓	✓	✓
590 x 520 x 46	590 x 520 x 46	590 x 520 x 46
560 x 490	560 x 490	560 x 490



WHI745BA	WHI944BA	WHI954BA
black ceramic glass	black ceramic glass	black ceramic glass
hardwired	hardwired	hardwired
7.4KW	7.4KW	10.2KW
4	4	5
3200/2300W	3100/2300W	3200/2300W
3200/2300W	1800/1400W	2500/1400W
		2800/1800W
3200/2300W	1800/1400W	2500/1400W
2500/1400W	2800/1800W	2800/1800W
touch	touch	touch
✓	✓	✓
✓	✓	✓
✓	✓	✓
✓	✓	✓
700 x 520 x 46	900 x 515 x 46	910 x 520 x 46
560 x 490	880 x 490	880 x 490




Frameless ceramic glass adds style

Frameless ceramic glass is
stylish and so easy to clean.

Models shown: Electric ceramic cooktop WHC644BA.

Electric ceramic cooktops

The new range of Westinghouse Ceramic cooktops have been designed to showcase smart and practical features that will help you handle the little knocks of every day life. Our durable glass surface offers up to six multi-heat zones, hot surface indicators and provides a stylish yet practical solution to meet all your cooking demands.



Model shown: Electric ceramic cooktop WHC644BA.



Touch-on-glass controls

The flat touch-on-glass controls not only look great, but with no buttons, they're also easy to wipe clean. (Selected models only).



Practical features

The touch-on-glass models offer helpful functions for busy lives. Pause the cooktop if there are interruptions and the nifty QuickCook™ Timer counts down turns the zone off when finished. (Selected models only).




FamilySafe™ Child lock

Thanks to the practical inclusion of a handy child lock, You'll know the family is safe even if you need to walk away from the cooktop. (Selected models only).



More versatility with variable zones

Every recipe is different and so is every cook. That's why we designed not only four cooking positions, but also one hotplate as a triple zone. You'll gain the unrivalled flexibility of having three variable zones in one. (Selected models only).



Hot surface indicator

Avoid unnecessary accidents in the kitchen with hot surface indicators that clearly show if the hotplates are activated or still hot.

(Selected models only).



Easy clean ceramic glass surface

Not only aesthetically pleasing, the durable glass surface is easy to clean and maintain ensuring the kitchen is always looking at its best.

Electric ceramic cooktops


Features†



Model	WHC322BA	WHC642BA
finish	ceramic glass/black	ceramic glass/black
connection	hardwired	hardwired
maximum power rating	3.0KW	6.5KW
elements		
total	2	4
left front		2300W
left rear		1200W
center front	1200W	
center rear	1800W	
right front		1200W
right rear		1800W
control	knob	knob
features		
hot surface indicator	✓	✓
child lock		
quickcook timer		
dimensions^		
WxDxH below bench (mm)	320 x 520 x 46	590 x 520 x 46
cut-out WxD (mm)	300 x 490	560 x 490



Model	WHC744BA	WHC934BA
finish	ceramic glass/black	ceramic glass/black
connection	hardwired	hardwired
maximum power rating	6.5KW	5.3KW
elements		
total	4	3
left front	2300W	2300W
left rear	1200W	
center front		1200W
center rear		
right front	1200W	1800W
right rear	1800W	
control	touch	touch
features		
hot surface indicator	✓	✓
child lock	✓	✓
quickcook timer	✓	✓
dimensions^		
WxDxH below bench (mm)	700 x 520 x 46	900 x 410 x 46
cut-out WxD (mm)	560 x 490	825 x 360



WHC644BA	WHC644SA	WHC742BA
ceramic glass/black	ceramic glass/black, stainless steel	ceramic glass/black
hardwired	hardwired	hardwired
6.5KW	6.4KW	6.4KW
4	4	4
2300W	2200W	2300W
1200W	1200W	1200W
1200W	1800W	1200W
1800W	1200W	1800W
touch	knob	knob
✓	✓	✓
✓		
✓		
590 x 520 46	590 x 520 x 46	700 x 520 x 46
560 x 490	560 x 490	560 x 490



WHC942BA	WHC944BA	WHS642SA/WA
ceramic glass/black	ceramic glass/black	stainless steel/white enamel
hardwired	hardwired	hardwired
6.4KW	6.5KW	6.5KW
4	4	4
2200W	2300W	1500W
1200W	1200W	2000W
1800W	1200W	1500W
1200W	1800W	1500W
knob	touch	knob
✓	✓	
	✓	
	✓	
900 x 520 x 46	900 x 520 x 46	600 x 535 x 58
880 x 490	880 x 490	570 x 490

NOTE: A minimum 30mm air gap is recommended below ceramic cooktop for heat dissipation.
^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au



Rangehoods

Canopy rangehoods

Westinghouse canopy rangehoods provide a stunning visual statement and capture the grease, steam and heat build-up when cooking, drawing smells and residue away from your cooktop - proving that practical can be beautiful as well. The high performance canopy rangehood brings your kitchen appliances together whilst clearing the air with minimal noise.

Slide-out and integrated rangehoods

Now you see them, now you don't. Westinghouse slide-out rangehoods are designed to discreetly and conveniently slide away when not in use. Suitable for ducting or recirculating, they remove residue and smells from your cooking, ensuring a well-ventilated kitchen. An integrated rangehood works the same way, with the advantage of being able to design your kitchen cabinetry to house it - effectively hiding it from view and allowing greater flexibility for unique kitchen installations, where a clean, integrated look is required.

Fixed rangehoods

Westinghouse fixed rangehoods bring everyday practicality to your cooking. Eliminating steam, grease and unsavoury smells, they are also easy to install, with just four screws. The choice is yours - fix your rangehood to a wall or beneath the cupboard above your cooktop. The sleek, modern lines are flexible enough to suit any style of kitchen.

Installation

You can never be too careful when it comes to installation. When installing your rangehood there are two ways to direct the airflow. If you are able to move the air outside, through a flue or chimney, a ducted system is ideal. If clear exterior access is not an option, you simply install your rangehood to recirculate* (carbon filter required).

*Some models can only be recirculated through the cupboard.



Superior air movement

The powerful 3 speed fan efficiently removes fumes, smoke and vapour from the kitchen.



Light up your cooking

Two long life high out-put LED lights to enhance the lighting of your cooking space without adding heat or higher energy cost to the process.



Timed cleaning

When the cooking is finished the AutoOff fan delay will ensure that all kitchen odours and residual smoke are removed, automatically switching itself off after 5 minutes while you enjoy your meal straight away.



Quiet Operation

Superior air flow without the noise. Designed to operate at low noise levels even in the higher fan settings ensuring you and your family can enjoy conversation while cooking together.



Fresh air for cleaning

The Westinghouse rangehood is designed for easy maintenance with multi-layered micromesh filters to make catching the grease and residue more effective.



Easy to clean

Removable filters are dishwasher safe for easy cleaning with a filter saturation indicator on the control panel to notify you when cleaning is recommended. The resilient stainless steel construction also ensures that cleaning the body of the hood is as easy as possible.

Model shown: Canopy rangehood WRCG940SB.

See westinghouse.com.au or phone 1300 363 640 for more information on ducting kit accessories.

Canopy rangehoods

Features[†]



Model	WRC613SB	WRC913SB
nominal width (mm)	600	900
finish	stainless steel	stainless steel
number of fans/speeds	1/3	1/3
max. airflow (m³/h)	850	850
noise level dB (high/low)	71/61	71/61
no. of filters	2	3
control	touch control	touch control
top or rear duct hole	top	top
lights	2 x 4W LED	2 x 4W LED
optional extension flue	1100mm	1100mm
dimensions [^]		
WxDxH (mm)	600 x 500 x 660-1160	900 x 500 x 660-1160

[^] Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

[†] Refer to the product information on the back page of this brochure.



WRCG930SB	WRCG940SB	WRF900CS
900	900	900
glass & stainless steel	glass & stainless steel	stainless steel
1/3 plus Boost	1/3 plus Boost	2/3
800 (Boost)	800 (Boost)	550
70/52	70/52	55/48
1	1	3
electronic push button	electronic push button	push button
top	top	top
2 x 4W LED	2 x 4W LED	2 x 40W incandescent
N/A	N/A	1100mm
900 x 500 x 600-1165	900 x 500 x 600-1130	900 x 500 x 770-1240

Fixed rangehoods

Features[†]



Model	WRJ603UW/WRJ611US
nominal width (mm)	600
finish	white/stainless steel
number of fans/speeds	2/3
max. airflow (m³/h)	400
noise level dB (high/low)	64/57
number of filters	2
front re-circulating option	✓
control	push button
top or rear duct hole	both
lights	2 x 40W incandescent
dimensions [^]	
WxDxH (mm)	598 x 500 x 160

[^] Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au



WRJ600US/W	WRJ903UW/WRJ911US	WRJ900US/W
600	900	900
white/stainless steel	white/stainless steel	white/stainless steel
1/3	2/3	1/3
200	400	200
62/51	64/57	62/51
2	3	3
✓	✓	✓
push button	push button	push button
both	both	both
2 x 40W incandescent	2 x 40W incandescent	2 x 40W incandescent
598 x 500 x 160	898 x 500 x 160	898 x 500 x 160

Integrated and
slide-out rangehoods

Features[†]



Model	ERI712SA
type	integrated
nominal width (mm)	800
finish	stainless steel
number of fans/speeds	2 / 3 + boost
max. airflow (m³/h)	720
noise level dB (high/low)	70/52
number of filters	2
recirculating option	✓
controls	electronic push button
top or rear duct	top
lights	2 x 4W LED
dimensions	
W x D x H (mm)	702 x 284 x 305

[^] Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au
[†] Refer to the product information on the back page of this brochure.



Model	WRH908IS/W
type	slide out
nominal width (mm)	900
finish	white/stainless steel
number of fans/speeds	2/3
max. airflow (m³/h)	400
noise level dB (high/low)	66/59
number of filters	2
recirculating option	✓
controls	auto-activated (pull/push)
top or rear duct	top
lights	2 x 28W halogen
dimensions	
W x D x H (mm)	899 x 300 x 175

[^] Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au
[†] Refer to the product information on the back page of this brochure.



Model	ERI512SA	NEW WRI700GA	NEW WRI520GA
type	integrated	integrated	integrated
nominal width (mm)	600	700	520
finish	stainless steel	grey	grey
number of fans/speeds	2 / 3 + boost	1/3	1/3
max. airflow (m³/h)	650	300	300
noise level dB (high/low)	70/52	62/54	62/54
number of filters	2	2	2
recirculating option	✓	✓	✓
controls	electronic push button	slide switch	slide switch
top or rear duct	top	top	top
lights	2 x 4W LED	2 x 4W halogen	2 x 4W halogen
dimensions			
W x D x H (mm)	522 x 284 x 305	702 x 284 x 259	522 x 284 x 259



Model	WRR614S/W	WRH608IS/W	WRH605IS/W
type	slide out	slide out	slide out
nominal width (mm)	600	600	600
finish	white/stainless steel	white/stainless steel	white/stainless steel
number of fans/speeds	2/3	2/3	1/3
max. airflow (m³/h)	400	400	210
noise level dB (high/low)	66/59	66/59	62/59
number of filters	2	2	1
recirculating option	preset to front recirculate	✓	✓
controls	auto-activated (pull/push)	auto-activated (pull/push)	auto-activated (pull/push)
top or rear duct	top	top	top
lights	2 x 28W halogen	2 x 28W halogen	1 x 28W halogen
dimensions			
W x D x H (mm)	599 x 300 x 175	599 x 300 x 175	599 x 300 x 175

[^] Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au
[†] Refer to the product information on the back page of this brochure.

Microwave ovens

Surprisingly, one in four people are not satisfied with their microwave and one of the main reasons is because it doesn't complement other kitchen appliances as well as the overall kitchen decor.

Recognising this frustration and making a distinct move away from the 'white box on the benchtop', our range of countertop and built-in microwaves are designed to complement modern kitchens. With either white or fingerprint resistant stainless steel finishes and electronic touch controls, the stylish appliances integrate easily into your kitchen, creating a visually harmonised space.



New built-in microwave

Our latest built-in microwave features 8 auto cooking functions.



Crispy bacon is possible!

Our 44 litre combination microwave with grill function can be used in isolation or combined with microwave power to give crispier results when cooking all kinds of dishes.



Hard wearing, stylish and easy to clean

Full fingerprint resistant stainless steel fascia on our ovens is hard-wearing yet attractive and will be a breeze for you to keep clean.



FamilySafe™ touch control

An easy to use, easy to clean touch control with a FamilySafe™ child lock to keep small fingers from accidentally operating the oven.

Seamless design integration

The design perfectly integrates with the entire Westinghouse kitchen collection, allowing you to perfectly co-ordinate your kitchen design.



Model shown: Combination microwave WMB4425SA.

Microwave ovens

Features†



Model	WMB4425SA
installation	built-in
fascia	fingerprint resistant stainless steel trims
controls	electronic
Features	
usable capacity (litres)	44
microwave power (watts)	900
grill power (watts)	1750
FamilySafe Child lock	✓
Oven function	
microwave	✓
grill	✓
combination modes	4
microwave quick start	✓
defrost by weight	✓
defrost by time	✓
auto reheat	✓
auto cook	✓
Oven programs	
beverage	
fish	✓
frozen meal	
meat	✓
pasta	✓
pizza	✓
popcorn	
potato	✓
rice	
soup	✓
vegetables	✓
Included accessories	
turntable ring	✓
turntable	enamel
grill rack	✓
Dimensions	
product HxWxD (mm)	460 x 594 x 392
cabinet cut out required HxWxD (mm)	466 x 600 x 570
turntable diameter (mm)	360



WMB2802SA	WMF4102SA	WMF4102WA
built-in	countertop	countertop
fingerprint resistant stainless steel trims and trim kit	fingerprint resistant stainless steel trims	white plastic, with UV protection
electronic	electronic	electronic
28	40.9	40.9
900	1100	1100
n/a	n/a	n/a
✓	✓	✓
✓	✓	✓
n/a	n/a	n/a
✓	✓	✓
✓	✓	✓
✓		
✓	✓	✓
✓	✓	✓
✓		
✓	✓	✓
✓		
✓	✓	✓
✓	✓	✓
✓	✓	✓
✓		
✓	✓	✓
✓	✓	✓
glass	glass	glass
460 x 594 x 387	327 x 553 x 453	327 x 553 x 453
464 x 600 X 550		
315	345	345

† Refer to the product information on the back page of this brochure

Accessories & Upgrade Packs



**Roasters Pack:
for all roasting essentials (ACC121)**

With the tailor-made roasting dish, rack and telescopic runners, getting a family roast on the table might be the easiest thing you'll do all day.



**Oven Runners Kit:
telescopic runners (ACC190)**

With three sets of telescopic runners and two specially designed oven racks, you can now safely pull your oven racks and trays all the way out of the oven. Loading and unloading the oven is not only more efficient, but it's also easier to check food.



**Catalytic oven liners
(ACC041, ACC042, ACC043, ACC044)**

The innovative catalytic oven liners absorb any grease produced during the cooking process. The grease is then vapourised by the heat of the oven to make cleaning a breeze.

(WVE626S, WVE626W, WVE636S and WVE636W come standard with catalytic liners).
Visit westinghouse.com.au or phone 1300 363 640 to confirm which set of catalytic liners are best suited for your oven.



**Party Pack:
multi-purpose baking trays (ACC124)**

The Party Pack includes three extra baking trays designed especially for the built-in ovens, providing you with additional cooking surfaces for entertaining.

Your oven, your way

You can have an oven with everything to suit your preferred cooking style. Thanks to Westinghouse's incredibly versatile upgrade packs, you can furnish your oven exactly the way you like with a range of must-have accessories.

Models shown: Electric oven WVE613S, gas cooktop WHG642SA, party pack ACC124.

Oven functions

Pyrolytic cleaning

Heats to high temperature and burns off splatters, accumulated dirt and grease from the oven liner. Simply wipe out ash when cooled.

Conventional bake (bake/pizza)

Heats from the top and bottom elements. Thermostat controlled, to maintain a constant temperature. Ideal for single trays e.g. biscuits, scones, cakes, casseroles, roasts.

Fan bake

Heats from elements surrounding the fan, circulating heat around the oven. Cooks at a lower temperature - faster than baking. Ideal for multi-shelf cooking and reheating.

Grill - electric

Uses a powerful upper element to grill the top of food such as tender meats, fish, cheese toasties and other quick cooking food. Preheat the grill for 3 minutes for best results.

Maxi grill - electric

Grill element and top element works like a normal grill but uses both the grill element and the boost element, so that more can be grilled.

Defrost

Uses the fan only to circulate the air in oven to accelerate defrosting of food.

Rapid heat/fast heat up

Uses a combination of elements to get the oven to the required temperature faster. Can also be used for drying herbs, craft items, etc.

Base heat

Uses the bottom element only. Excellent for where a crisp base is required.

Fan assist

Both top and bottom elements are used while a fan circulates air within the cavity.

Pizza

This function uses the bottom element and the element around the fan.

Fan Grill

The grill element and the fan are used in combination. Excellent for thicker cuts of meat, or to get a rotisserie style result.

Quick cook

Heat comes from the element surrounding the fan as well as the smaller element above the food. This allows you to preheat your oven 30% quicker than on standard 'Bake/Pizza'. 'Quick Cook' is ideal for cooking frozen pre-cooked foods such as savoury pastries, pizzas, mini meals (TV dinners), meat pies and fruit pies.

Steam cook

The hot air ensures the outside of the food is sealed whilst the steam keeps the inside tender. Steam comes from the outlet pipe and heat comes from the element surrounding the fan. The browning of meat or fish will be perfect, with the best cooking result at the core.

Pizza & steam

This function creates a great pizza in terms of crispy crust and uniform browning on top. "Pizza + Steam" is a combination of "Base heat", "Fan bake" and "Steam" and offers you the combined benefits of each of these functions.

Steam reheat










Steam comes from the outlet pipe and heat switches from between the element surrounding the fan and the clean heat element below the oven floor. This function has a set temperature of 130°C.

Eco cooking

For energy saving baking and cooking on one shelf position. Gentle heat comes from the elements surrounding the fans. The lamps deactivate after 30 seconds.

Oven functions

Main oven

 Pyrolytic cleaning									✓				✓		✓					
 Conventional bake		✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
 Fan bake	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
 Grill – electric	✓			✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
 Maxi grill – electric				✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓				
 Defrost		✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓		
 Rapid heat/fast heat up		✓	✓	✓	✓				✓	✓					✓	✓				
 Base heat		✓	✓	✓	✓				✓	✓	✓	✓	✓	✓	✓	✓				
 Fan assist											✓	✓	✓		✓	✓				
 Pizza									✓		✓	✓	✓		✓	✓				
 Fan Grill	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓		
 Quick cook											✓	✓	✓							
  Steam cook												✓								
  Pizza & steam												✓								
  Steam reheat												✓								
 Eco cooking															✓	✓				
 Light only							✓													

Second oven

Conventional bake				✓	✓															
Fan bake					✓															
Grill - electric		✓	✓		✓														✓	✓
Maxi grill - electric					✓															
Defrost				✓	✓															
Rapid heat/fast heat					✓															
Base heat				✓	✓															
Fan assist				✓	✓															
Pizza																				
Fan Grill				✓	✓															

* This product is exclusive to specific retailer stores. For all participating stores, visit westinghouse.com.au for more information.



For more information on all Westinghouse appliances, or for dimension and installation information, call into your retailer, phone or email our customer care team or visit our website:

phone: 1300 363 640
fax: 1800 350 067
email: customercare@electrolux.com.au
web: westinghouse.com.au



We invite you to follow Westinghouse appliances and get involved in the conversation.

Top service

Electrolux Top Service encompasses the after sales service including Delivery, Home Service and Spare Parts.

Spare Parts and Accessories:

Westinghouse offers an extensive range of genuine spare parts and accessories to purchase across our entire range of products. With purchasing options to suit your shopping style, you can be sure we are always thinking of you. To view and purchase genuine spare parts and accessories online visit shop.westinghouse.com.au

To discuss and purchase genuine spare parts and accessories with one of our friendly staff call 1300 363 640. To find your nearest Electrolux spare parts retailer call 13 13 50.

Warranty

Electrolux Home Products Pty Ltd warrants that for domestic application, the Westinghouse Ovens, Built-in Ovens, Cooktops and Rangehoods featured in this brochure are free from defects in materials and workmanship for a period of 24 months (and 12 months for Microwave Ovens) from the date of first purchase, subject to the conditions set out in the warranty card accompanying the product when purchased and the Australian Consumer Law. Westinghouse dishwashers are only suitable for domestic or equivalent applications. They are not suitable for applications where special health and industry requirements and regulations apply. This warranty is in addition to the other rights and warranties you may have under the Australian Consumer Law (ACL) and Electrolux will at all times comply with its obligations at law including the ACL.

* Product information

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow.

 and WESTINGHOUSE are trademarks of Westinghouse Electric Corporation. Used under license by Electrolux Home Products Pty Ltd. All Rights Reserved.

© 2018 Electrolux Home Products Pty Ltd. ABN 51 004 762 341 WKITCHEN_Feb18